

PF-51200/51600


3D Rotary head wire bending machine



Pneuform

MODEL	PF - 51200	PF-51600
Number of Axis	5	5
Wire Diameter	Hard material: Ø 5.0 - 8.0mm Soft material: Ø 5.0 -12.0mm	Hard material: Ø 8.0 - 12.0mm Soft material: Ø 8.0 -16.0mm
Feeding Roller	4	4
Power of Wire Feeding Motor	7.5kw	11kw
Power of Head Rotation Motor	4.5kw	5.5kw
Power of Wire Cutter Motor	1.0kw	1.5kw
Power of Angle Control Motor	2.0kw	4.5kw
Power Lifting Axis Servo Motor	1.0kw	1.5kw
Input Power	380V (±20V)	380V (±20V)
Dimension of machine (L x W x H)	3800 x 2200 x 2000mm	3800 x 2200 x 2000mm
Weight of machine	4500kg	5800kg

PRODUCTS



Actual machine and controls show current model at time of print.

www.pneuform.com

A **UNISON** and **Transworld Engineering Ltd** cooperation.



cooperation.



PF-5800/6800

3D Rotary head wire bending machine



Pneuform

MODEL	PF - 5800	PF-6800
Number of Axis	5	6
Wire Diameter	Hard material: Ø 3.0 - 6.0mm Soft material: Ø 3.0 - 8.0mm	Hard material: Ø 3.0 - 6.0mm Soft material: Ø 3.0 - 8.0mm
Feeding Roller	3	3
Power of Wire Feeding Motor	4.5kw	4.5kw
Power of Head Rotation Motor	2.7kw	2.7kw
Power of Wire Cutter Motor	1.0kw	1.0kw
Power of Angle Control Motor	2.0kw	2.0kw
Power Lifting Axis Servo Motor	1.0kw	1.0kw
Power Inner Shaft Servo Motor	/	1.0kw
Input Power	380V (±20V)	380V (±20V)
Dimension of machine (L x W x H)	3200 x 1850 x 2100mm	3200 x 1850 x 2100mm
Weight of machine	3000kg	3000kg

PRODUCTS



Actual machine and controls show current model at time of print.

www.pneuform.com

A **UNISON** and **Transworld Engineering Ltd** cooperation.



PF-5600/6600


3D Rotary head wire bending machine



Pneuform

MODEL	PF - 5600	PF-6600
Number of Axis	5	6
Wire Diameter	Hard material: Ø 2.5 - 4.0mm Soft material: Ø 2.5 -6.0mm	Hard material: Ø 2.5 - 4.0mm Soft material: Ø 2.5 -6.0mm
Feeding Roller	2	2
Power of Wire Feeding Motor	2.7kw	2.7kw
Power of Head Rotation Motor	2.7kw	2.7kw
Power of Wire Cutter Motor	1.0kw	1.0kw
Power of Angle Control Motor	1.0kw	1.0kw
Power Lifting Axis Servo Motor	0.4kw	0.4kw
Power Inner Shaft Servo Motor	/	0.75kw
Input Power	380V/50Hz/3Ph	380V/50Hz/3Ph
Dimension of machine (L x W x H)	3000 x 1900 x 1900mm	3000 x 1900 x 1900mm
Weight of machine	1800kg	1800kg

PRODUCTS



Actual machine and controls show current model at time of print.

www.pneuform.com

A **UNISON** and **Transworld Engineering Ltd** cooperation.



PF-7800/71000


Flat rotary line bending machine



Pneuform

MODEL	PF - 7800	PF-71000
Number of Axis	7	7
Wire Diameter	Hard material: Ø 3.0 - 6.0mm Soft material: Ø 3.0 -8.0mm	Hard material: Ø 3.0 -8.0mm Soft material: Ø 3.0 -10.0mm
Feeding Roller	3	3
Power of Wire Feeding Motor	2.7kw	4.5kw
Power of Head Rotation Motor	2.7kw	2.7kw
Power of Wire Cutter Motor	1.0kw	1.0kw
Power of Angle Control Motor	1.5kw	1.5kw
Power of Pallet Control Motor	1.0kw	1.0kw
Power Inner Angle Control Motor	1.5kw	2.0kw
Power Outer Angle Control Motor	1.5kw	2.0kw
Input Power	380V (±20V)	380V (±20V)
Dimension of machine (L x W x H)	4000 x 1800 x 1750mm	4000 x 1800 x 1750mm
Weight of machine	2500kg	2900kg

PRODUCTS



Actual machine and controls show current model at time of print.

www.pneuform.com

A **UNISON** and **Transworld** cooperation.
INTELLIGENT TUBE TECHNOLOGY Engineering Ltd



PF-10300


Enamelled wire bending machine



Pneufarm

MODEL	PF-10300
Number of Axis	12-15
Wire Diameter	Hard material: \varnothing 1.0 - 2.5mm Soft material: \varnothing 1.0 - 4.0mm
Feeding Roller	3
1 Axis Arm	0.75kw
2 Axis Arm	0.75kw
3 Axis Arm	0.75kw
4 Axis Arm	0.75kw
5 Axis Left and Right	0.4kw
6 Axis Curl	0.4kw
7 Axis Feed	1.8kw
8 Axis Turntable	3.0kw
9 Axis Bending Core	0.4kw
10 Axis Peeling Machine	0.75kw
Input Power	380V (\pm 20V)
Dimension of machine (L x W x H)	3500 x 1800 x 1600mm
Weight of machine	2000kg

PRODUCTS



Actual machine and controls show current model at time of print.

www.pneufarm.com

A UNISON and Transworld cooperation.
INTELLIGENT TUBE TECHNOLOGY Engineering Ltd



PF-2T-16600





Big double head wire bender



Pneufarm

MODEL	PF-2T-16600
Number of Axis	16
Wire Diameter	Hard material: \varnothing 3.0 - 4.5mm Soft material: \varnothing 3.0 - 6.0mm
Feeding Roller	4
Power of Wire Feeding	2.7kw
Power of Head Rotation Motor	2.7kw/2.7kw
Power Angle Motor	1.0kw /1.0kw
Power Inner Roll Motor	1.0kw/1.0kw
Power Lift Motor	1.0kw/1.0kw
Power I/O Motor	2.7kw/2.7kw
Power Wire Clamp Motor	1.0kw/1.0kw
Power Wire Cutter Motor	1.0kw
Power Rotating & Straighten Motor	2.0kw
Power Wire Moving Motor	1.5kw
Input Power	380V (\pm 20V)
Dimension of machine (L x W x H)	8000 x 1500 x 1600mm
Weight of machine	5500kg

PRODUCTS



Actual machine and controls show current model at time of print.

www.pneufarm.com

A **UNISON** and **Transworld** cooperation.
WIRE-ROBUST TUBE TECHNOLOGY Engineering Ltd

